



## Cruise



# EVERY HOME DESERVES CRUISE COOLING

RESIDENTIAL AIR CONDITIONER COLLECTION 2023



## THE FUTURE OF 5 STAR COMFORT COOLING IS HERE.

At Cruise, we believe in technology that dramatically transforms spaces into arenas of comfort and perfection. And through relentless innovation, Cruise has launched the revolutionary new range of VarioQool Ultra DUAL EEV Inverter Air Conditioners with advanced features to significantly improve your family's daily living experience.

- Experience constant precise temperature control all through the night all possible with its VariQool Inverter Compressor
- Offers Faster Cooling and More Energy Savings with No irritating vibration sounds to ensure Noiseless Operation.
- Cools the room 25% faster and consumes upto 40% less energy with Eco Cool.
- Rust-O-Shield Blue Protection protects the AC against coastal, corrosive weather to help increase its cooling performance.
- 7-Stage Air Filtration with PM2.5 anti-bacterial and anti-viral functions to deliver 99.9% pure air indoors.
- 100% Copper and Gold-tec Fin protection increases the life & durability of AC.



#### VARIOGOOL CONVERTIBLE TECHNOLOGY

AUTO-ADJUSTABLE COOLING WITH 110% RATED CAPACITY.

Invest in world-class technology. Invest in Yourself.



#### VARIOQOOL™ ULTRA INVERTER

AI TECHNOLOGY

AI Convertible Capacity for 25% faster cooling and upto 40% energy savings in eco mode vs. conventional ACs.



## 100% COPPER CONDENSER

3X DURABLITY

High quality inner grooved copper tubes enable faster heat exchange and longer life of air conditioner



## 4D AUTO AIR SWING

360°SURROUND AIR

Jet inspired horizontal and vertical louvres auto swing ensures wide airflow while providing uniform cooling.



## LIFETIME WARRANTY

**BUILT TO LAST** 

Lifetime Warranty on Inverter compressors ensures robust & easy to maintain AC's.



### 7-STAGE MULTI AIR PURIFICATION

DESIGNED IN GERMANY

AerPro filtration featuring PM 2.5, VOC, Activated Charcoal, Catechin Anti-bacterial, Silver Ion and HD dust filter to deliver 99.9% pure air



## FLUSOJET AIRFLOW UPTO 50 FEET

SUPER LONG AIR DRIVE

Using principles of jet engine aerodynamics, FlusoJet provides long reach airflow for upto 1.5X room area coverage.



### RUST-O-SHIELD ANTI CORROSION

PAINT PROTECTION

Cruise's special Rust-O-Shield Blue protection applied to Indoor Unit reduces corrosion due to polluted and salty air.







#### EXPRESS COOL AT 52°C

HEAVY DUTY UNITS

Tropical-X Rotary technology ensures non-stop cooling even when it's 52°C outside.

## **PORTAQOOL TECHNOLOGY**AIR CONDITIONING ON WHEELS

Invest in mobility, indoors or outdoors.





#### **Tropical-X Rotary Compressor**

Featuring an advanced rotary compressor engineered to operate in temperatures of up to 50° C, it provides the best-in-class cooling performance that is superior to any existing mobile cooling device.



#### **Built-in Four Omni-Directional Wheels**

Go further with 4 easy-to-push castor wheels that allow for easy manoeuvrability of the mobile air conditioner from room to room, providing spot cooling wherever you need it.



#### Air Discharge Hose & Window Kit

The expandable hose (upto 6 ft) allows extraction of the hot air from the unit to be discharged outside the room, for effectively cooling. The sliding window kit makes the installation easier and air tight.



#### Anti-Bacterial Dust Filter

The advanced HD filter delivers cleaner air and reduces room odours with outstanding dust collection due to its new improved density.

#### THE NEW CRUISE AIR **EXPERT RANGE**





| SPLIT INVERTER  |          | 5 STAR ACs              |                         | 4 STAR AC 3 STAR ACs    |                         |                          |
|---|----------|-------------------------|-------------------------|-------------------------|-------------------------|--------------------------|
| MODEL   |          | VU5F195 NEW             | VP3F185 NEW             | VP3F184 NEW             | VU5F243 NEW             | VQ5G183 NEW              |
| BEE Star Rating   |          | 5                       | 5                       | 4                       | 3                       | 3                        |
| Tonnage   | W        | 1.6                     | 1.5                     | 1.5                     | 2.0                     | 1.5                      |
| Cooling Capacity  |          | 5400                    | 5100                    | 5100                    | 7000                    | 5000                     |
| Convertible Capacity  | W        | 2700~5400               | 2550~5100               | 2550~5100               | 3500~7000               | 2500~5000                |
| Convertible Modes   |          | 4-in-1                  | 4-in-1                  | 4-in-1                  | 4-in-1                  | 5-in-1                   |
| Power Supply  | V/Hz/Ph  | 230/50/1                | 230/50/1                | 230/50/1                | 230/50/1                | 230/50/1                 |
| Power Consumption   | W        | 1300/470                | 1365/514                | 1355/525                | 2170/760                | 1530                     |
| Current Input   | Α        | 6.3                     | 6.4                     | 6.2                     | 9.5                     | 7.4                      |
| ISEER   | W/W      | 5.31                    | 5.19                    | 4.63                    | 4.19                    | 3.85                     |
| Airflow Volume (H/L)  | m³h      | 1150                    | 1050                    | 1050                    | 1150                    | 800                      |
| Condensor   | Type     | Copper                  | Copper                  | Copper                  | Copper                  | Copper                   |
| Compressor  | Type/Gas | Inverter Rotary-R32      |
| IDU Size (WxDxH)  | mm       | 1101x250x330            | 1000x230x295            | 1000x230x295            | 1101x250x330            | 900x206x294              |
| IDU Net/Gross Weight  | Kg       | 14/17                   | 11/14                   | 11/13                   | 14/17                   | 11/13                    |
| ODU Size (WxDxH)  | mm       | 780x281x557             | 780x281x557             | 780x241x557             | 780x281x557             | 780x292x603              |
| ODU Net/Gross Weight  | Kg       | 27/32                   | 27/32                   | 25/30                   | 30/35                   | 28/31                    |
| Convenience   |          | 4D Auto Airflow          |
|   |          | Magic LED Display        |
|   |          | Full BLDC with EEV      | Full BLDC with EEV      | Express Cool 50°C       | Full BLDC Inverter      | Express Cool 50°C        |
|   |          | 50ft FlusoJet Airflow   | XL IDU + XL ODU         | XL IDU + XL ODU         | 50ft FlusoJet Airflow   | Gold-tec Fin Protection  |
|   |          | HEAVY XL IDU + ODU      | Large LED Remote        | Large LED Remote        | HEAVY XL IDU + ODU      | XL IDU + XL ODU          |
|   |          | Rust-O-Shield Paint      |
|   |          | Protection              | Protection              | Protection              | Protection              | Protection               |
| Air Filtration  |          | 7-stage Filtration with | 7-stage Filtration with | 7-stage Filtration with | 7-stage Filtration with | HD Anti-Bacterial Filter |
|   |          | PM 2.5 Filter           | PM 2.5 Filter           | PM 2.5 Filter           | PM 2.5 Filter           | with PM 0.3 Filter       |
| Warranty 1 Year on complete product + 10 Year on compressor |          |                         |                         |                         |                         |                          |







| SPLIT INVERTER       |          | 3 STAR ACs               |                          |                           |                           |                         |                         |
|----------------------|----------|--------------------------|--------------------------|---------------------------|---------------------------|-------------------------|-------------------------|
| MODEL                |          | VQ5G243 NEW              | VQ3B123P NEW             | VQ3B183P NEW              | VQ1S123                   | VQ1S183                 | VQ1S243                 |
| BEE Star Rating      |          | 3                        | 3                        | 3                         | 3                         | 3                       | 3                       |
| Tonnage              | W        | 2.0                      | 1.0                      | 1.5                       | 1.0                       | 1.5                     | 2.0                     |
| Cooling Capacity     |          | 6200                     | 3450                     | 5150                      | 3450                      | 5150                    | 6250                    |
| Convertible Capacity | W        | 3100~6200                | 1725~3450                | 2575~5150                 | 1725~3450                 | 2575~5150               | 3125~6250               |
| Convertible Modes    |          | 5-in-1                   | Auto                     | Auto                      | 4-in-1                    | 4-in-1                  | 4-in-1                  |
| Power Supply         | V/Hz/Ph  | 230/50/1                 | 230/50/1                 | 230/50/1                  | 230/50/1                  | 230/50/1                | 230/50/1                |
| Power Consumption    | W        | 1970                     | 1120/420                 | 1650/640                  | 1090/402                  | 1570/625                | 2070/770                |
| Current Input        | Α        | 9.2                      | 4.87                     | 7.14                      | 5                         | 7                       | 8.5                     |
| ISEER                | W/W      | 3.98                     | 3.86                     | 3.84                      | 4.00                      | 3.98                    | 3.8                     |
| Airflow Volume (H/L) | m³h      | 1050                     | 560/400                  | 850/520                   | 780                       | 1050                    | 1150                    |
| Condensor            | Туре     | Copper                   | Copper                   | Copper                    | Copper                    | Copper                  | Copper                  |
| Compressor           | Type/Gas | Inverter Rotary-R32      | Inverter Rotary-R32      | Inverter Rotary-R32       | Inverter Rotary-R32       | Inverter Rotary-R32     | Inverter Rotary-R32     |
| IDU Size (WxDxH)     | mm       | 1010x220x316             | 790x200x270              | 900x220x291               | 800x230x295               | 1000x230x295            | 1000x230x295            |
| IDU Net/Gross Weight | Kg       | 14/16                    | 8.5/9.8                  | 11.5/13.5                 | 9/11                      | 11/13                   | 11/13                   |
| ODU Size (WxDxH)     | mm       | 780x292x603              | 780x270x542              | 780x270x560               | 672x241x520               | 780x281x557             | 780x281x557             |
| ODU Net/Gross Weight | Kg       | 32/35                    | 26/30                    | 29/33                     | 20/25                     | 27/32                   | 30/35                   |
| Convenience          |          | 4D Auto Airflow          | 4 Way Airflow            | 4 Way Airflow             | 4 Way Airflow             | 4 Way Airflow           | 4 Way Airflow           |
|                      |          | Magic LED Display        | Magic LED Display        | Magic LED Display         | Magic LED Display         | Magic LED Display       | Magic LED Display       |
|                      |          | Express Cool 50°C        | Express Cool 50°C        | Express Cool 50°C         | Express Cool 50°C         | Express Cool 50°C       | Express Cool 50°C       |
|                      |          | Gold-tec Fin Protection  | Vitamin C Filter         | Vitamin C Filter          | Large LED Remote          | Large LED Remote        | XL IDU + HD ODU         |
|                      |          | XL IDU + XL ODU          | Ultra Quiet Operation    | Ultra Quiet Operation     | XL IDU + HD ODU           | XL IDU + HD ODU         | FlusoJet Airflow        |
|                      |          | Rust-O-Shield Paint      | Gold-tec Fin Protection  | Gold-tec Fin Protection   | Rust-O-Shield Paint       | Rust-O-Shield Paint     | Rust-O-Shield Paint     |
|                      |          | Protection               | Large LED Remote         | Large LED Remote          | Protection                | Protection              | Protection              |
| Air Filtration       |          | HD Anti-Bacterial Filter | HD Anti-Bacterial Filter | HD Anti-Bacterial Filter  | 7-stage Filtration with   | 7-stage Filtration with | 7-stage Filtration with |
|                      |          | with PM 0.3 Filter       | with Active Carbon       | with Active Carbon        | PM 2.5 Filter             | PM 2.5 Filter           | PM 2.5 Filter           |
| Warranty             |          |                          |                          | 1 Year on complete produc | t + 10 Year on compressor |                         |                         |





| SPLIT NON-INVERTER   |          | 3 STAR ACs   |  | 2 STAR ACs  |  |   |  |
|--|----------|--|--|---|--|---|--|
| MODEL  |          | EQ7N193 NEW  | EQ3N183 NEW  | EQ5G183 EQ3G123   |  | EQ3G183   |  |
| BEE Star Rating  |          | 3  | 3  | 2   | 2  | 2   |  |
| Tonnage  |          | 1.6  | 1.5  | 1.5   | 1.0  | 1.5   |  |
| Cooling Capacity   | W        | 5300   | 5000   | 5100  | 3400   | 5050  |  |
| Power Supply   | V/Hz/Ph  | 230/50/1   | 230/50/1   | 230/50/1  | 230/50/1   | 230/50/1  |  |
| Power Consumption  | W        | 1358   | 1300   | 1445  | 950  | 1420  |  |
| Current Input  | Α        | 6.2  | 6.6  | 6.41  | 4.3  | 6.2   |  |
| ISEER  | W/W      | 3.9  | 3.85   | 3.53  | 3.6  | 3.56  |  |
| Airflow Volume (H/L)                                       | m³h      | 1400   | 1080   | 900   | 750/600  | 1080/950  |  |
| Condensor  | Type     | Copper   | Copper   | Copper  | Copper   | Copper  |  |
| Compressor   | Type/Gas | Tropical-X Rotary-R32  | Tropical-X Rotary-R32  | Tropical-X Rotary-R32   | Tropical-X Rotary-R32  | Tropical-X Rotary-R32   |  |
| IDU Size (WxDxH)   | mm       | 1101x250x330   | 1000x230x295   | 970x224x300   | 800x230x295  | 1000×230x295  |  |
| IDU Net/Gross Weight                                       | Kg       | 14.5/17  | 11/13  | 13.5/16.5   | 9.5/11   | 11/13   |  |
| ODU Size (WxDxH)   | mm       | 810x301x594  | 780x281x557  | 781x241x557   | 780x241x557  | 780x241x557   |  |
| ODU Net/Gross Weight                                       | Kg       | 37/42  | 35/40  | 34/ 37  | 28/33  | 35.5/39.5   |  |
| Convenience  |          | 4 Way Airflow Magic LED Display Express Cool 50°C 50ft FlusoJet Airflow Blue-tec Fin Protection XL Indoor + HD Outdoor | 4 Way Airflow<br>Magic LED Display<br>Express Cool 50°C<br>FlusoJet Airflow<br>Blue-tec Fin Protection<br>XL Indoor + HD Outdoor | 4 Way Airflow Magic LED Display Express Cool 50°C FlusoJet Airflow Auto Blow-n-Clean XL Indoor + HD Outdoor | 4 Way Airflow<br>Magic LED Display<br>Express Cool 50°C<br>Smart Diagnosis System<br>Blue-tec Fin Protection<br>Large LED Remote | 4 Way Airflow Magic LED Display Express Cool 50°C Smart Diagnosis System Blue-tec Fin Protection XL Indoor + HD Outdoor |  |
| Air Filtration HD Anti-                                    |          | HD Anti-Allergen Filters   | HD Anti-Allergen Filters   | HD Anti-Allergen Filters  | HD Anti-Allergen Filters   | HD Anti-Allergen Filters  |  |
| Warranty 1 Year on complete product + 5 Year on compressor |          |  |  |   |  |   |  |

|  |  | EQ3 N / EQ3 G  | NEW  | WQ3 P  | PQ3 S  | PQ1 W  |
|--|--|--|--|--|--|--|
|  |  | O CYAR AG  | WINDOW AC  | PORTABLE AC  |  | 0  |
| MODEL  |  | 2 STAR ACs<br>EQ3G243  | WQ3P183  | PQ3S12   | PQ1W12 NEW   | PQ1W18 NEW   |
| BEE Star Rating Tonnage Cooling Capacity Power Supply Power Consumption Current Input ISEER Airflow Volume (H/L) Condensor Compressor IDU Size (WxDxH) IDU Net/Gross Weight ODU Size (WxDxH) | W V/Hz/Ph W A W/W m³h Type Type/Gas mm Kg mm | 2 2.0 6200 230/50/1 1758 7.9 3.53 1100 Copper Tropical-X Rotary-R32 1000×230×295 12/14 850×310×684                             | 3<br>1.5<br>4800<br>230/50/1<br>1600<br>7.3<br>3.00<br>800<br>Copper<br>Rotary-R32<br>660x660x430<br>51/56.5<br>NA | 1.0<br>3500<br>230/50/1<br>1200<br>5.3<br>2.91<br>350<br>Copper<br>Rotary-R32<br>270x480x695<br>28/32<br>NA            | - 1.0<br>3520<br>230/50/1<br>1350<br>6.5<br>- 450<br>Copper<br>Rotary-R32<br>318x528x710<br>30/33<br>NA                        | -<br>1.5<br>5280<br>230/50/1<br>2180<br>8.5<br>-<br>650<br>Copper<br>Rotary-R32<br>379×595×815<br>44/47<br>NA                                    |
| ODU Net/Gross Weight Convenience   | Kg   | 48/54  4 Way Airflow Magic LED Display Express Cool 50°C Smart Diagnosis System Blue-tec Fin Protection XL Indoor + HD Outdoor | NA  Compact Design 2D Auto Airflow Express Cool 50°C Wireless Remote Turbo Cool Mode Blue-tec Fin Protection       | A Castor Wheels 2D Auto Airflow Digital Control Panel Wireless Remote Hot Air Duct+ Window Kit Blue-tec Fin Protection | A Castor Wheels  4 D Auto Turbo Airflow Digital Control Panel Wireless Remote Hot Air Duct+ Window Kit Blue-tec Fin Protection | A Castor Wheels  4 D Auto Turbo Airflow Express Cool 50°C Digital Control Panel Wireless Remote Hot Air Duct+ Window Kit Blue-tec Fin Protection |
| Air Filtration Warranty  |  | HD Anti-Allergen Filters  1 Year on complete product   | HD Anti-Allergen Filter<br>at + 5 Year on compressor   | HD Anti-Allergen Filter  | HD Anti-Allergen Filter  1 Year on complete product  | HD Anti-Allergen Filter  |



Headquartered in Bollywood's heartland,

Cruise is the leading provider of best-in-class air conditioning solutions for people who want to live, work and play surrounded by cool, clean and healthy air. With a presence in India and the Middle East and technology designed in Germany, our high-performance air conditioners are energy efficient, ultra durable and made to the highest standards.

Through our commitment to excellence and constant innovation of over 30 years, Cruise is shaping the way you stay comfortably cool - today and tomorrow. Invest in Cruise. Invest in Yourself

#### THE CRUISE PROMISE



#### INNOVATION FIRST

Pioneer in cooling technology since 1992



#### **BUILT HEAVY DUTY**

Durable and robust build for coastal climate conditions



#### EASY TO MAINTAIN

Professional support with Pan-India service network



#### LONG LIFESPAN

100% copper technology with 3x longer durability



#### LIFETIME WARRANTY

10 year warranty on inverter compressors



#### **GLOBALLY CERTIFIED**

ISO quality factory operations; OEM's for global HVAC Co's







**f** @cruiseac



(a) @cruise\_ac



**6** 829-123-8800

#### Cruise Appliances Pvt Ltd

G-2 Industry House, 23B Mahal Industrial Estate, Mahakali Caves Road, Andheri (E), Mumbai 400093, India.

For corporate inquiries and further information Please write to us at info@cruiseac.com For service support write to us at support@cruiseac.com